



FIBERGLASS EXTERIOR DOOR FL PRODUCT APPROVALS



HEIGHT		(X) SINGLE		(OX, XO) SINGLE +1 SIDELITE		(OXO) SINGLE +2 SIDELITES		(XX) PAIR		(OXXO) PAIR +2 FIXED		ENERGY EFFICIENCY		APPROVAL DATE		
		FL #	DP	FL #	DP	FL #	DP	FL #	DP	FL #	DP	FL #	DP		SHGC	U FACTOR
6/8 NON IMPACT	O P A Q U E	15220.6	±50										0.01	0.17	4/23/15	
				17347.9	±47									0.16/ 0.01	0.32/ 0.17	4/16/15
						17347.9	±47							0.16/ 0.01/ 0.16	0.32/ 0.17/ 0.32	4/16/15
	Low-E G L A Z E D	15220.9	±50											0.01	0.17	4/23/15
		15213.14	+47-50/±50											0.28	0.33	4/28/15
				15213.15	+48-50/±50									0.16/ 0.25	0.32/ 0.33	4/28/15
				15213.16	+48-50/±50								0.16/ 0.28/ 0.16	0.32/ 0.33/ 0.32	4/28/15	
						17347.2	±47						0.28/ 0.28	0.33/ 0.33	4/16/15	
								17347.2	±47				0.28 (x4)	0.33 (x4)	4/16/15	
6/8 IMPACT	O P A Q U E	15213.1	+65-70/±65										0.01	0.17	4/28/15	
				15213.2	±47									0.16/ 0.01	0.32/ 0.17	4/28/15
						15312.3	±47							0.16/ 0.01/ 0.16	0.32/ 0.17/ 0.32	4/28/15
	Low-E G L A Z E D	17184.14	±50											0.01	0.17	4/27/15
		15215.11	±50											0.28	0.33	4/22/15
				15215.12	±50									0.16/ 0.25	0.32/ 0.33	4/22/15
				15215.13	±50								0.16/ 0.28/ 0.16	0.32/ 0.33/ 0.32	4/22/15	
						17184.4	±50						0.28/ 0.28	0.33/ 0.33	4/27/15	
								15215.15	±50				0.28 (x4)	0.33 (x4)	4/22/15	
8/0 NON IMPACT	O P A Q U E	15213.37	±75										0.01	0.17	4/28/15	
				17347.11	+40-45/±40									0.16/ 0.01	0.32/ 0.17	4/28/15
						17347.11	+40-45/±40							0.16/ 0.01/ 0.16	0.32/ 0.17/ 0.32	4/26/15
	Low-E G L A Z E D	15213.39	±40											0.01	0.17	4/28/15
		15213.32	+42-48/±42											0.28	0.33	4/28/15
				15213.33	+42-48/±42									0.16/ 0.25	0.32/ 0.33	4/16/15
				15213.29	+42-48/±42								0.16/ 0.28/ 0.16	0.32/ 0.33/ 0.32	4/16/15	
						15213.35	±37.5						0.28/ 0.28	0.33/ 0.33	4/28/15	
								15215.10	±47.5/±50				0.28 (x4)	0.33 (x4)	4/22/15	
8/0 IMPACT	O P A Q U E	15213.19	+65-70/±65										0.01	0.17	4/28/15	
				15213.21	+42-48/±40									0.16/ 0.01	0.32/ 0.17	4/28/15
						15213.23	+42-48/±40							0.16/ 0.01/ 0.16	0.32/ 0.17/ 0.32	4/28/15
	Low-E G L A Z E D	15213.24	+45-50/±45											0.01	0.17	4/28/15
		17184.1	±50											0.28	0.33	4/27/15
				15215.17	+42-47.5/±42									0.16/ 0.25	0.32/ 0.33	4/22/15
				15215.18	+42-47.5/±42								0.16/ 0.28/ 0.16	0.32/ 0.33/ 0.32	4/22/15	
						17347.8	+45-50/±45						0.28/ 0.28	0.33/ 0.33	4/10/15	
								15215.20	±47.5/±50				0.28 (x4)	0.33 (x4)	4/22/15	

NOTES:

Click FL # for Installation Instructions from floridabuilding.org
 Opaque doors have no glass. (6 Panel, Flush)
 Glazed doors have glass. (1 lite, 6 lite, 10 lite, etc) Low-E inserts standard.

CONTACT:

Steve Wells
 Sales
 (386)316-0026
steve@floridadoor.com

Russell Sapsford
 Purchasor
 (386)253-7898
russell@floridadoor.com